

# 纺织品面料册

Sample book of textile fabric

上海发全实业有限公司

Shanghai Farquan Industrial Co.,Ltd.



# 公司简介

## Company Profile

上海发全实业有限公司作为一家生产型企业，其总部位于享有上海后花园之美称的上海市青浦区朱家角镇。

从2013年注册成立至今，历经十余年发展，目前我司总人员130多人，占地面积30多亩，厂房2万多平。

企业通过ISO9001质量体系认证，是一家专业从事纺织品遮光窗帘、遮光卷帘、遮阳卷帘、地面材料等产品的系统设计、生产安装及销售服务的企业。

经过多年的创新发展，公司的设计研发能力达到行业内领先水平，独立自主研发了多款产品及配件，并获得30多项专利。

所生产的产品种类丰富，销售地区遍及全球。且在各地区均设有办事处，涵盖以下城市：北京、广州、香港、新加坡、悉尼等地区，充分实现全球资源互动。





# 目录

## CONTENTS

01

庭院系列（普通阻燃）

02

元林系列（永久阻燃）

03

纺织品面料资质证书

04

案例






## 庭院系列（普通阻燃）



普通阻燃面料是指：在普通面料生产完成后，通过添加具有阻燃性能的化学物质，进行浸泡或者阻燃涂层加工生产而成，具有阻燃性能的阻燃面料。



其优点在于面料花样、颜色种类较多，适用于各种纤维成分的织物，如棉、涤纶、涤/棉混纺等，可满足客户定制化需求。






# 庭院系列 (普通阻燃)




FAR-M1800-2270108H




FAR-M1800-2270104H



FAR-M1800-2270105H




FAR-M1800-2270109H




FAR-M1800-2270115H




FAR-M1800-2270111H




FAR-M1800-2270103H



FAR-M1800-2270101H



FAR-M1800-2270107H



FAR-M1800-2270110H

## Product information 产品信息

Name 名称	FAR-M1800-227
Width 宽幅	280cm
Composition 成分	100%PN.FR
Weight 克重	320gsm
Shading rate 遮光率	80-95%

## Function 功能

Colour fastness to artificial	光照色牢度
Colour fastness to rubbing	摩擦色牢度
Colour fastness to washing	水洗色牢度
Colour fastness to cleaning	干洗色牢度

## Cleaning 清洗

Frequent wash may affect the performance of the article. To remove dust use a vacuum cleaner. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation. 频繁清洗可能会影响产品的性能。请使用吸尘器除尘。我们不承担因使用不当、化学清洗或附加浸渍造成的任何损坏的责任。

The analytical results are referred only to the sample tested. Discolouration and colour deviations tolerated by permissible industrial standards which do not constitute reasons for claims. We reserve the right to modify at any moment and without notice any product specifications.

测试结果仅以测试的样品为准。

行业标准允许的褪色和颜色分离，不可以作为投诉的原因。

我们保留测试报告的修改权，恕不另行通知。

## Note 注意

The goods are manufactured according to production lot and there is possibility of the color differences slightly lot by lot.

货物是按批次生产的，不同批次货物可能会有轻微的色差。



# 庭院系列 (普通阻燃)

## Product information 产品信息

Name 名称	FAR-M1800-172/C012
Width 宽幅	280cm/300cm
Composition 成分	100%PN.FR
Weight 克重	190gsm/270gsm
Shading rate 遮光率	80-95%

## Function 功能

Colour fastness to artificial	光照色牢度
Colour fastness to rubbing	摩擦色牢度
Colour fastness to washing	水洗色牢度
Colour fastness to cleaning	干洗色牢度

## Cleaning 清洗

Frequent wash may affect the performance of the article. To remove dust use a vacuum cleaner. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation. 频繁的清洗可能会影响产品的性能。请使用吸尘器除尘。我们不承担因使用不当、化学清洗或附加浸渍造成的任何损坏的责任。

The analytical results are referred only to the sample tested. Discolouration and colour deviations tolerated by permissible industrial standards which do not constitute reasons for claims. We reserve the right to modify at any moment and without notice any product specifications.

测试结果仅以测试的样品为准。


行业标准允许的褪色和颜色分离，不可以作为投诉的原因。

我们保留测试报告的修改权，恕不另行通知。

## Note 注意

The goods are manufactured according to production lot and there is possibility of the color differences slightly lot by lot.

货物是按批次生产的，不同批次货物可能会有轻微的色差。



FAR-M1800-1720108H




FAR-M1800-C0120103H



FAR-M1800-1720109H




FAR-M1800-C0120114H




FAR-M1800-1720105H




FAR-M1800-C0120116H



FAR-M1800-1720106H



FAR-M1800-C0120112H




FAR-M1800-1720103H



FAR-M1800-C0120115H




# 庭院系列 (普通阻燃)



FAR-M1800-690116H



FAR-M1800-690114H



FAR-M1800-690102H




FAR-M1800-690106H



FAR-M1800-690104H



FAR-M1800-690107H



FAR-M1800-690105H

## Product information 产品信息

Name 名称	FAR-M1800-69
Width 宽幅	280cm
Composition 成分	100%PN.FR
Weight 克重	260gsm
Shading rate 遮光率	80-95%

## Function 功能

Colour fastness to artificial	光照色牢度
Colour fastness to rubbing	摩擦色牢度
Colour fastness to washing	水洗色牢度
Colour fastness to cleaning	干洗色牢度

## Cleaning 清洗

Frequent wash may affect the performance of the article. To remove dust use a vacuum cleaner. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation. 频繁的清洗可能会影响产品的性能。请使用吸尘器除尘。我们不承担因使用不当、化学清洗或附加浸渍造成的任何损坏的责任。

The analytical results are referred only to the sample tested. Discolouration and colour deviations tolerated by permissible industrial standards which do not constitute reasons for claims. We reserve the right to modify at any moment and without notice any product specifications.

测试结果仅以测试的样品为准。

行业标准允许的褪色和颜色分离，不可以作为投诉的原因。

我们保留测试报告的修改权，恕不另行通知。

## Note 注意

The goods are manufactured according to production lot and there is possibility of the color differences slightly lot by lot.


货物是按批次生产的，不同批次货物可能会有轻微的色差。



## 庭院系列 (普通阻燃)

### 雪尼尔面料

其面料特点在于纤维被握持在合股的芯纱上，绒面丰满，具有丝绒般的触感，手感柔软且舒适。织造结构紧密，牢度高，具有优良的悬垂性，遮光性能优越。



FAR-M1800-1680114H



FAR-M1800-1680124H



FAR-M1800-1680113H





# 庭院系列 (普通阻燃)

## 雪尼尔面料




FAR-M1800-1680117H




FAR-M1800-1680116H




FAR-M1800-1680121H



FAR-M1800-1680123H



FAR-M1800-1680122H



FAR-M1800-1680119H



FAR-M1800-1680118H



FAR-M1800-1680125H



FAR-M1800-1680126H



FAR-M1800-1680127H

### Product information 产品信息

Name 名称	FAR-M1800-168
Width 宽幅	300cm
Composition 成分	100%PN.FR
Weight 克重	375gsm
Shading rate 遮光率	80-95%

### Function 功能

Colour fastness to artificial	光照色牢度
Colour fastness to rubbing	摩擦色牢度
Colour fastness to washing	水洗色牢度
Colour fastness to cleaning	干洗色牢度

### Cleaning 清洗

Frequent wash may affect the performance of the article. To remove dust use a vacuum cleaner. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation. 频繁的清洗可能会影响产品的性能。请使用吸尘器除尘。我们不承担因使用不当、化学清洗或附加浸渍造成的任何损坏的责任。

The analytical results are referred only to the sample tested. Discolouration and colour deviations tolerated by permissible industrial standards which do not constitute reasons for claims. We reserve the right to modify at any moment and without notice any product specifications.

测试结果仅以测试的样品为准。

行业标准允许的褪色和颜色分离，不可以作为投诉的原因。

我们保留测试报告的修改权，恕不另行通知。

### Note 注意


The goods are manufactured according to production lot and there is possibility of the color differences slightly lot by lot.

货物是按批次生产的，不同批次货物可能会有轻微的色差。



## 元林系列（永久阻燃）

在原材料中添加阻燃剂，改变分子结构，生产出阻燃聚酯切片、阻燃纤维；然后按要求生产成阻燃纱线，再经平纹、斜纹、缎纹、复杂组织、大提花等组织，织造成机织物，经编、纬编等织成针织物；再经染色、印花、压花等特殊工艺技术成为阻燃面料。



FAR-M1800-6414A



FAR-M1800-6461A



FAR-M1800-6406A





# 元林系列 (永久阻燃)




FAR-M1800-7331A



FAR-M1800-7330A



FAR-M1800-7317A



FAR-M1800-7336A




FAR-M1800-7329A



FAR-M1800-7345A




FAR-M1800-7308A



FAR-M1800-7326A



FAR-M1800-7326A



FAR-M1800-7307A

## Product information 产品信息

Name 名称	FAR-M1800-0073
Width 宽幅	300cm
Composition 成分	100%PL.FR
Weight 克重	290gsm
Shading rate 遮光率	80-95%

## Function 功能

Colour fastness to artificial	光照色牢度
Colour fastness to rubbing	摩擦色牢度
Colour fastness to washing	水洗色牢度
Colour fastness to cleaning	干洗色牢度

## Cleaning 清洗

Frequent wash may affect the performance of the article.To remove dust use a vacuum cleaner.We do not accept responsibility for any damage resulting from inappropriate use,chemical cleaning or additional impregnation.频繁的清洗可能会影响产品的性能。请使用吸尘器除尘。我们不承担因使用不当、化学清洗或附加浸渍造成的任何损坏的责任。

The analytical results are referred only i to the samp le tested.Discolouration and colour deviations to lerated by permissible industrial standards which do not constitute reasons for claims.We reserve the right to modify at any moment and without notice anyproduct specifications.

测试结果仅以测试的样品为准。

行业标准允许的褪色和颜色分离，不可以作为投诉的原因。

我们保留测试报告的修改权，恕不另行通知。

## Note 注意

The goods are manufactured according to production lot and there is possibility of the color differences slightly lot by lot.

货物是按批次生产的，不同批次货物可能会有轻微的色差。



# 资质证书

我司纺织品面料册证书内容涵盖齐全：

- 1.中国船级社CCS证书；
- 2.挪威船级社DNV证书；
- 3.远东防火报告Part7阻燃性试验；
- 4.中国人民解放军海军非金属材料检测中心报告；
- 5.SGS通标标准技术服务检验检测报告：纺织品面料耐磨性，抗污性；
- 6.纺织品面料其他认证及检测报告：防霉检测报告，色牢度检测报告，防蛀性能检测报告，缩水率耐皂洗检测报告等。






# 案例



高速客船上下轨道帘



邮轮公共区罗马帘



集装箱船常规窗帘



观光船斜窗上下轨道窗帘



# 案例



客货船永久定型窗帘



永久定型床帘



永久定型床帘

# 案例



永久定型海图帘



驾驶室海图帘



电动幕帘

# 感谢观看 Thank you

- 📍 总部办公地址：上海市青浦区大盈浦路1599弄东渡悦中心1号楼1902室
- 📍 广东省大湾区办公室地址：广州市南沙区进港大道581号时代维港614室
- ✉ 总部： [farquan@farquan.com](mailto:farquan@farquan.com)
- ✉ 南部大湾区： [guangzhou@farquan.com](mailto:guangzhou@farquan.com)
- ✉ 全球： [jg66@farquan.com](mailto:jg66@farquan.com)
- ✉ 售后： [info@farquan.com](mailto:info@farquan.com)
- 🌐 Website: [www.farquan.com](http://www.farquan.com)
- ☎ 021-3497-8926

